

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/574,261	03/31/2006	Masanori Masuda	DK-US065021	3812		
	7590 01/29/2008 OUNSELORS, LLP		EXAMINER			
1233 20TH STREET, NW, SUITE 700			DUFF, DOUGLAS J			
WASHINGTO	N, DC 20036-2680		ART UNIT PAPER NUMBER			
			3748			
	•					
			MAIL DATE	DELIVERY MODE		
			01/29/2008	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

				1.1		
•		Application No.	Applicant(s)	. 01		
Office Action Summary		10/574,261	MASUDA, MASANORI			
		Examiner	Art Unit			
		Douglas J. Duff	3748			
Period fo	The MAILING DATE of this communication a or Reply	ppears on the cover sheet w	ith the correspondence address	s		
WHIC - Exte after - If NC - Faill Any	CHEVER IS LONGER, FROM THE MAILING ensions of time may be available under the provisions of 37 CFR of SIX (6) MONTHS from the mailing date of this communication. Depend for reply is specified above, the maximum statutory period treeto reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply will, by stature to reply will. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MON ute, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this commun BANDONED (35 U.S.C. § 133).	·		
Status						
1)⊠	Responsive to communication(s) filed on 19	November 2007.				
2a)⊠	This action is FINAL. 2b) This action is non-final.					
3)						
	closed in accordance with the practice under	r <i>Ex parte Quayle</i> , 1935 C.D). 11, 453 O.G. 213.			
Disposit	ion of Claims					
4)⊠	Claim(s) 1-4, 6-10 is/are pending in the appli	ication.	•			
	4a) Of the above claim(s) is/are withdr	rawn from consideration.				
5)	Claim(s) is/are allowed.					
· · · · · · · · · · · · · · · · · · ·	Claim(s) <u>1-4 and 6-10</u> is/are rejected.					
	Claim(s) is/are objected to.					
8)	Claim(s) are subject to restriction and	l/or election requirement.				
Applicat	ion Papers					
9)[The specification is objected to by the Examin	ner.				
10)[The drawing(s) filed on is/are: a) ad	ccepted or b) objected to	by the Examiner.			
	Applicant may not request that any objection to the	ne drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).			
_	Replacement drawing sheet(s) including the corre	· ·	•	• •		
11)	The oath or declaration is objected to by the I	Examiner. Note the attached	d Office Action or form PTO-15	52.		
Priority (under 35 U.S.C. § 119					
•	Acknowledgment is made of a claim for foreig ☑ All b) ☐ Some * c) ☐ None of:	gn priority under 35 U.S.C. §	§ 119(a)-(d) or (f).			
-,	1.⊠ Certified copies of the priority docume	ents have been received.				
	2. Certified copies of the priority docume	nts have been received in A	pplication No			
	3. Copies of the certified copies of the pr	iority documents have been	received in this National Stag	e		
	application from the International Bure	eau (PCT Rule 17.2(a)).				
* (See the attached detailed Office action for a lis	st of the certified copies not	received.			
Attachmer				•		
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date			
3) 🔲 Infor	mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date		Informal Patent Application			

DETAILED ACTION

This Office Action is in response to Applicant's Amendments filed 11/19/07.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-4, 6 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Kitaura et al. (US 6925832). Regarding claim 1, Kitaura et al. discloses a rotary compressor comprising a compression mechanism (15) including a cylinder (outer wrap of 24) having a cylinder chamber (below 24, above 31), a piston disposed in the cylinder chamber to be eccentric with respect to the cylinder (outer wrap 24), and a blade (inner wrap 26b) arranged in the cylinder chamber and dividing the cylinder chamber into a high pressure chamber (inside of wraps) and a low pressure chamber (outside of wraps), the cylinder and the piston eccentrically rotating relative to each other; a motor (16) configured to drive the compression mechanism; and a casing (12, 13) configured to house the compression mechanism and the motor, the casing forming a low pressure space (29) communicating with a suction side of the compression mechanism (top side of compression mechanism) and a high pressure space (18) communicating with a discharge side of the compression mechanism, an outer peripheral face (top of 15, outer peripheral face) of the compression mechanism being surrounded by the low pressure space (29), the casing having a suction pipe (19) connected to a low pressure

space side of the casing and a discharge pipe (20) connected to a high pressure space side thereof, the compression mechanism being provided with a discharge space (45 to 47) formed between a housing (blocks of 23 and 24) of the compression mechanism and a cover plate (44), a discharge port (48) passing through the housing to communicate the high pressure chamber (inside wrap area) with the discharge space (48 allows discharge air to communicate to the high pressure space) and a discharge passage (47) configured to allow the discharge space (48) to communicate with the high pressure space (18), the entire discharge passage (47) passing through the housing (23).

3. Regarding claims 2-6 and 10, Kitaura et al. discloses the rotary compressor of claim 1 including the casing forming two spaces (18, 29) and the compression mechanism interposed therebetween, one of the two spaces is the high pressure space (18) and the other is low pressure (29), the motor (16) is disposed in the high pressure space (18), the high pressure space is formed below the compression mechanism (15) and an oil sump (13) is in the high pressure space (Fig. 1), an outer peripheral face (top 15) of the compression mechanism is surrounded by the low pressure space (29) and the cylinder chamber has an annular or circular shape cross section (24, scroll) when viewed at a right angle in an axial direction, and the piston (26) is formed of an annular or circular piston arranged in the cylinder chamber (below 24, above 31) and sectioning the cylinder chamber into an outer cylindrical chamber (top 31) and an inner cylinder chamber (inside of 24).

Application/Control Number:

10/574,261 Art Unit: 3748

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitaura et al. in view of Rydberg et al. (US 3125031). Regarding claim 7, Kitaura et al. discloses the compressor of claim 6, but fails to disclose the blade formed continuously with the cylinder or a coupling member including a first sliding face corresponding to the piston and a second sliding face corresponding to the blade.
- 6. Rydberg et al. teaches a rotary compressor with a blade (240) formed continuously with the cylinder (154), the compressor includes a coupling member (260, 268) through which annular piston (196) and blade (240) are movably coupled to each other, and the coupling member includes a first sliding face (outer face of 268) corresponding to the piston and a second sliding face (inside 260) corresponding to the blade. It would have been obvious for a person having ordinary skill in the art at the time the invention was made to utilize the blade formed continuously with the cylinder and a coupling member to movably couple the piston and blade in order to provide a fluid pump having an annular working chamber with a continuously revolving rotary piston therein together with a partition or blade across the chamber having operative engagement with the piston, providing a pivotal connection between the blade and the piston (col. 1, lines 67-72 and col. 2, lines 1 and 2).

7. Regarding claims 8 and 9, the modified Kitaura et al. device discloses the invention as described in claim 7 above and further discloses the piston being of C-shape to form a gap (Fig. 23), the blade (240) formed to extend from an inner peripheral wall surface of the annular cylinder chamber (182) to an outer peripheral wall thereof (154) while being inserted through the gap of the piston (196), the coupling is a swing bushing having an arc-shaped outer peripheral face (260, 268) slidably supported in the gap of the piston, a blade groove being formed therein for supporting the blade, (Fig. 23) to allow the blade to move back and forth, a drive shaft (176) to drive the mechanism including an eccentric portion (180) coupled to the cylinder or the piston (196) and parts of the drive shaft located at both longitudinal sides of the eccentric portion are supported through a plurality of bearing portions (166, 170) in the casing.

Response to Arguments

- 8. Applicant's arguments filed 11/19/07 have been fully considered but they are not persuasive. Applicant relies on the claimed phrase "the casing forming a low pressure space communicating with a suction side of the compression mechanism" to establish the low pressure space directly communicating with the *suction chamber*, rather than simply a suction side of the compression mechanism. Since space 29 is a "low-level pressure space" (col. 2, line 12), the claimed invention would be reasonably interpreted to read on the device of Kitaura et al, as described in the rejection of claim 1 above.
- 9. Regarding the argument directed toward an outer peripheral face surrounded by the low pressure space, the Examiner points to the top peripheral (circumferential) face

Application/Control Number: Page 6

10/574,261 Art Unit: 3748

of 15. The outside corners are the edge of the outer face which is surrounded by the low pressure space (29). As amended, claim 1 remains disclosed by Kitaura et al.

10. Regarding the argument directed toward the rejections in view of Rydberg, the Examiner respectfully disagrees. The examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the compressor of Kitaura and the compressor of Rydberg function are both well known to one of ordinary skill in the art to solve the same problem of compressing a gas to discharge. Additionally, the structural differences are very minimal as shown by the ability to apply a 102(b) rejection of the claimed invention as detailed above. This would indicate the structural and functional characteristics of the Rydberg device would be obvious to combine with the Kitaura compressor in order to provide a fluid pump having an annular working chamber with a continuously revolving rotary piston therein together with a partition or blade across the chamber having operative engagement with the piston, providing a pivotal connection between the blade and the piston (col. 1, lines 67-72 and col. 2, lines 1 and 2).

Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number:

10/574,261 Art Unit: 3748

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas J. Duff whose telephone number is (571) 272-3459. The examiner can normally be reached on M-Th 7 AM - 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Denion can be reached on (571) 272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Douglas J. Duff

1/23/08

THOMAS DENION
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700